

Supplementary. Table 1. Comparison of various serum parameters from control and combination-treated rats.

	Control	Met+Zom	Met+Fos
ALB (g/dL)	3.2 ± 0.1	3.7 ± 0.3	3.2 ± 0.3
GLOB (g/dL)	3.0 ± 0.1	3.2 ± 0.2	3.1 ± 0.0
ALB/GLOB	1.0 ± 0.1	1.2 ± 0.0	1.0 ± 0.1
GLU (mg/dL)	181.7 ± 0.9	183.7 ± 5.2	186.3 ± 21.2
PHOS (mg/dL)	6.5 ± 0.9	6.5 ± 0.5	5.7 ± 0.2
Ca (mg/dL)	10.3 ± 0.1	10.5 ± 0.1	10.4 ± 0.3
TP (g/dL)	6.2 ± 0.0	6.9 ± 0.5	6.3 ± 0.3
TBIL (mg/dL)	0.3 ± 0.2	0.4 ± 0.7	0.3 ± 0.1
CHOL (mg/dL)	91.3 ± 4.8	124.0 ± 4.6	106.0 ± 21.6
AMYL (U/L)	1748.7 ± 55.8	1779.7 ± 65.1	1729.3 ± 126.9
LIPA (U/L)	145.3 ± 11.6	131.3 ± 4.8	125.3 ± 22.0

ALB-Albumin; Glob-Globulin; Glu-Glucose; Phos-Inorganic Phosphate; Ca-Calcium; TP-Total protein; TBIL – Total bilirubin; Chol-Cholesterol; Amyl-Amylase; Lipa-Lipase.