

Table S1: Histological analysis according to stage and engraftment pattern

Binet	Patient sample	Mice [focal/diffuse]	Infiltration pattern			
			focal aggregates		diffuse infiltration	
			recovered cells [%]		recovered cells [%]	
			CLL cells	T cells	CLL cells	T cells
A	7	0/1	-	-	60.0	40.0
	12	5/2	72.0	28.0	12.5	87.5
	14	2/1	94.0	6.0	20.0	80.0
	16	2/0	70.0	30.0	-	-
	32	1/0	100	0	-	-
	35	2/1	75.0	25.0	30.0	70.0
	Mean±SEM		82.2±6.2	17.2±6.2	30.6±10.4	69.4±19.4
B	9	1/1	90.0	10.0	40.0	60.0
	15	2/3	65.0	35.0	2.3	97.7
	19	4/0	98.3	1.7	-	-
	24	1/0	100	0	-	-
	Mean±SEM		88.3±8.1	12.7±8.1	21.2±18.9	78.9±18.9
C	11	2/0	CD20neg	1.0	-	-
	17	3/0	88.3	11.7	-	-
	18	6/0	94.7	5.3	-	-
	23	5/0	100	0	-	-
	31	1/0	100	0	-	-
	Mean±SEM		95.8±2.8	4.2±2.8	N.A.	N.A.
Total [Mean±SEM]		37/9	88.3±3.6	11.0±3.4	27.5±8.4	72.5±8.4

SEM=standard error of the mean, N.A.=not applicable