Contents

Cancer Research

August 1, 2011 • Volume 71 • Number 15

BREAKING ADVANCES

5055

Highlights from Recent Cancer Literature

REVIEWS

5057

Hedgehog Fights Back: Mechanisms of Acquired Resistance against Smoothened Antagonists

Ciara Metcalfe and Frederic J. de Sauvage

5062

Chemotherapeutic Resistance: Surviving Stressful Situations

Luke A. Gilbert and Michael T. Hemann

CLINICAL STUDIES

5081

Keap1 Mutations and Nrf2 Pathway Activation in Epithelial Ovarian Cancer

Panagiotis A. Konstantinopoulos, Dimitrios Spentzos, Elena Fountzilas, Nancy Francoeur, Srisowmya Sanisetty, Alexandros P. Grammatikos, Jonathan L. Hecht, and Stephen A. Cannistra

Précis: Findings reveal a key molecular determinant of resistance to platinum-based chemotherapy and poor clinical outcome in patients with epithelial ovarian cancers.

PRIORITY REPORTS

5067

Combinatorial Treatments That Overcome PDGFRβ-Driven Resistance of Melanoma Cells to ^{V600E}B-RAF Inhibition

Hubing Shi, Xiangju Kong, Antoni Ribas, and Roger S. Lo

Précis: This study illustrates the great importance of the interplay between clinical and laboratory-based research in responding rapidly to the inevitable problem of acquired resistance arising in the development of any new targeted treatment for cancer.

5075

Mechanical Stiffness Grades Metastatic Potential in Patient Tumor Cells and in Cancer Cell Lines

Vinay Swaminathan, Karthikeyan Mythreye, E. Tim O'Brien, Andrew Berchuck, Gerard C. Blobe, and Richard Superfine

Précis: Findings provide the first demonstration of the power law relation between the stiffness and the invasiveness of cancer cells and show that mechanical phenotypes, which are directly impacted by the state and architecture of the cytoskeleton, can be used to grade the metastatic potential of cell populations.

INTEGRATED SYSTEMS AND TECHNOLOGIES

5090

Tumor Microenvironment-Derived Proteins Dominate the Plasma Proteome Response during Breast Cancer Induction and Progression

Sharon J. Pitteri, Karen S. Kelly-Spratt, Kay E. Gurley, Jacob Kennedy, Tina Busald Buson, Alice Chin, Hong Wang, Qing Zhang, Chee-Hong Wong, Lewis A. Chodosh, Peter S. Nelson, Samir M. Hanash, and Christopher J. Kemp

Précis: Dynamic interactions between tumor cells and their host microenvironment are reflected by changes in the plasma proteome, offering new opportunities for cancer diagnosis.

MICROENVIRONMENT AND IMMUNOLOGY

5101

Myeloid-Derived Suppressor Cell Inhibition of the IFN Response in Tumor-Bearing Mice

Bethany L. Mundy-Bosse, Gregory B. Lesinski, Alena C. Jaime-Ramirez, Kristen Benninger, Mahmood Khan, Periannan Kuppusamy, Kristan Guenterberg, Sri Vidya Kondadasula, Abhik Ray Chaudhury, Krista M. La Perle, Melanie Kreiner, Gregory Young, Denis C. Guttridge, and William E. Carson, III

Précis: Myeloid derived suppressor cells blunt immune cell responsiveness to interferons by producing reactive nitrogen species, which attenuates interferon signaling in immune cells of tumor-bearing animals.

5111

PD-1/PD-L1 Interactions Contribute to Functional T-Cell Impairment in Patients Who Relapse with Cancer After Allogeneic Stem Cell Transplantation

Wieger J. Norde, Frans Maas, Willemijn Hobo, Alan Korman, Michael Quigley, Michel G.D. Kester, Konnie Hebeda, J.H. Frederik Falkenburg, Nicolaas Schaap, Theo M. de Witte, Robbert van der Voort, and Harry Dolstra

Précis: Findings show how leukemia cells can escape from graft-versus-tumor immune responses, and how interfering with this escape mechanism can restore antitumor immunity and possibly prevent relapses.

5123

Systemic Cancer Therapy with a Small Molecule Agonist of Toll-like Receptor 7 Can Be Improved by Circumventing TLR Tolerance

Carole Bourquin, Christian Hotz, Daniel Noerenberg, Andreas Voelkl, Simon Heidegger, Laurin C. Roetzer, Bettina Storch, Nadja Sandholzer, Cornelia Wurzenberger, David Anz, and Stefan Endres

Précis: Findings offer insight into a cellular mechanism of immune tolerance that occurs during cancer immunotherapy with a Toll-like receptor agonist and provide a strategy to bypass this tolerance.

5134

Antibody-Dependent Cell Cytotoxicity Synapses Form in Mice during Tumor-Specific Antibody Immunotherapy

Pascale Hubert, Adèle Heitzmann, Sophie Viel, André Nicolas, Xavier Sastre-Garau, Pablo Oppezzo, Otto Pritsch, Eduardo Osinaga, and Sebastian Amigorena

Précis: Findings demonstrate that a therapeutic monoclonal antibody specific for a ubiquitous tumor-associated antigen inhibits tumor growth via antibody-dependent cell toxicity.

MOLECULAR AND CELLULAR PATHOBIOLOGY

5144

Inhibition of miR-193a Expression by Max and RXR α Activates K-Ras and PLAU to Mediate Distinct Aspects of Cellular Transformation

Dimitrios Iliopoulos, Asaf Rotem, and Kevin Struhl

Précis: Findings describe a molecular pathway involved in cellular transformation that focuses on miR-193a as a regulator of both tumorigenicity and invasiveness.

5154

IGFBP-3 Is a Metastasis Suppression Gene in Prostate Cancer

Hemal H. Mehta, Qinglei Gao, Colette Galet, Vladislava Paharkova, Junxiang Wan, Jonathan Said, Joanne J. Sohn, Gregory Lawson, Pinchas Cohen, Laura J. Cobb, and Kuk-Wha Lee

Précis: This study reports the first transgenic mouse model of spontaneous metastatic prostate cancer, a milestone that may help advance studies of progression and treatment at this deadly late stage of disease.

5164

¹⁸F-Fluorodeoxy-glucose Positron Emission Tomography Marks MYC-Overexpressing Human Basal-Like Breast Cancers

Nicolaos Palaskas, Steven M. Larson, Nikolaus Schultz, Evangelia Komisopoulou, Justin Wong, Dan Rohle, Carl Campos, Nicolas Yannuzzi, Joseph R. Osborne, Irina Linkov, Edward R. Kastenhuber, Richard Taschereau, Seema B. Plaisier, Chris Tran, Adriana Heguy, Hong Wu, Chris Sander, Michael E. Phelps, Cameron Brennan, Elisa Port, Jason T. Huse, Thomas G. Graeber, and Ingo K. Mellinghoff

Précis: FDG-PET may be useful as a noninvasive biomarker for therapies that target either the basal-like breast cancer subtype or MYC-overexpressing tumors that rely heavily upon glycolysis and the glutamine pathway.

PREVENTION AND EPIDEMIOLOGY

5175

Genetic Variation in an miRNA-1827 Binding Site in *MYCL1* Alters Susceptibility to Small-Cell Lung Cancer

Fang Xiong, Chen Wu, Jiang Chang, Dianke Yu, Binghe Xu, Peng Yuan, Kan Zhai, Jian Xu, Wen Tan, and Dongxin Lin

Précis: Findings suggest a broader significance than appreciated previously for the L-MYC gene in development of small cell lung cancer.

THERAPEUTICS, TARGETS, AND CHEMICAL BIOLOGY

5182

Combining Betulinic Acid and Mithramycin A Effectively Suppresses Pancreatic Cancer by Inhibiting Proliferation, Invasion, and Angiogenesis

Yong Gao, Zhiliang Jia, Xiangyu Kong, Qiang Li, David Z. Chang, Daoyan Wei, Xiangdong Le, Shengdong Huang, Liwei Wang, Suyun Huang, and Keping Xie

Précis: Findings demonstrate that targeting the transcription factor Sp1 can inhibit pancreatic tumor growth with greater efficacy and fewer side effects than traditional treatment.

5194 BMP4 Promotes Prostate Tumor Growth in Bone through Osteogenesis

Yu-Chen Lee, Chien-Jui Cheng, Mehmet A. Bilen, Jing-Fang Lu, Robert L. Satcher, Li-Yuan Yu-Lee, Gary E. Gallick, Sankar N. Maity, and Sue-Hwa Lin

Précis: Osteogenesis is shown to be necessary for prostate cancer progression in bone and inhibition of this process may offer a treatment strategy for bone metastases.

5204 Akt-Dependent Glucose Metabolism Promotes Mcl-1 Synthesis to Maintain Cell Survival and Resistance to Bcl-2 Inhibition

Jonathan L. Coloff, Andrew N. Macintyre, Amanda G. Nichols, Tingyu Liu, Catherine A. Gallo, David R. Plas, and Jeffrey C. Rathmell

Précis: Inhibition of glucose metabolism alters expression of a key Bcl-2 family member, sensitizing cancer cells to apoptosis and illustrating how strategies to disrupt glycolysis disruptions may disable tumors.

MicroRNA Replacement Therapy for miR-145 and miR-33a Is Efficacious in a Model of Colon Carcinoma

5214

5225

5235

Ahmed Fawzy Ibrahim, Ulrike Weirauch, Maren Thomas, Arnold Grünweller, Roland K. Hartmann, and Achim Aigner

Précis: This study establishes nonviral miRNA replacement therapy for cancer treatment.

Combined Gene Expression Profiling and RNAi Screening in Clear Cell Renal Cell Carcinoma Identify PLK1 and Other Therapeutic Kinase Targets

Yan Ding, Dan Huang, Zhongfa Zhang, Josh Smith, David Petillo, Brendan D. Looyenga, Kristin Feenstra, Jeffrey P. MacKeigan, Kyle A. Furge, and Bin T. Teh

Précis: RNAi screening and gene expression profiling reveal new potential therapeutic targets to treat highly aggressive kidney cancers.

Exosome Targeting of Tumor Antigens Expressed by Cancer Vaccines Can Improve Antigen Immunogenicity and Therapeutic Efficacy

Ryan B. Rountree, Stefanie J. Mandl, James M. Nachtwey, Katie Dalpozzo, Lisa Do, John R. Lombardo, Peter L. Schoonmaker, Kay Brinkmann, Ulrike Dirmeier, Reiner Laus, and Alain Delcayre

Précis: This study shows how engineering the MVA-BN-PRO vaccine to express its antigens in secreted exosomes could greatly improve its immunotherapeutic activity.

Retinoic Acid Enhances TRAIL-Induced Apoptosis in Cancer Cells by Upregulating TRAIL Receptor 1 Expression

5245

5255

5265

Latha Dhandapani, Ping Yue, Suresh S. Ramalingam, Fadlo R. Khuri, and Shi-Yong Sun

Précis: By establishing that retinoic acid can stimulate the proapoptotic activity of TRAIL by upregulating the TRAIL receptor DR4, this study suggests a strategy to augment the anticancer activity of TRAIL being studied in clinical trials.

A Drug Resistance Screen Using a Selective MET Inhibitor Reveals a Spectrum of Mutations That Partially Overlap with Activating Mutations Found in Cancer Patients

Ralph Tiedt, Elisa Degenkolbe, Pascal Furet, Brent A. Appleton, Sabrina Wagner, Joseph Schoepfer, Emily Buck, David A. Ruddy, John E. Monahan, Michael D. Jones, Jutta Blank, Dorothea Haasen, Peter Drueckes, Markus Wartmann, Clive McCarthy, William R. Sellers, and Francesco Hofmann

Précis: Drug resistance mutation profiles reported in this manuscript are likely to predict clinical responses to MET kinase inhibitors, a number of which are currently in development.

Overcoming Hypoxia-Induced Apoptotic Resistance through Combinatorial Inhibition of GSK-3β and CDK1

Patrick A. Mayes, Nathan G. Dolloff, Colin J. Daniel, J. Judy Liu, Lori S. Hart, Kageaki Kuribayashi, Joshua E. Allen, David I.H. Jee, Jay F. Dorsey, Yingqiu Y. Liu, David T. Dicker, J. Martin Brown, Emma E. Furth, Peter S. Klein, Rosalie C. Sears, and Wafik S. El-Deiry

Précis: Findings elucidate a novel therapeutic strategy to overcome the inherent resistance of hypoxic cancer cells to cell death, by targeting two kinases not previously linked to cell death protection in hypoxic tumor microenvironments.

A Journal of the American Association for Cancer Research

TUMOR AND STEM CELL BIOLOGY

5276

Interleukin-1α Mediates the Antiproliferative Effects of 1,25-Dihydroxyvitamin D₃ in Prostate Progenitor/Stem Cells

Sophia L. Maund, Wendy W. Barclay, Laura D. Hover, Linara S. Axanova, Guangchao Sui, Jason D. Hipp, James C. Fleet, Andrew Thorburn, and Scott D. Cramer

Précis: Supporting applications of vitamin D as a chemopreventative agent for prostate cancer, this study shows that the metabolically active form of vitamin D can induce differentiation and senescence of prostate progenitor/stem cells and that its antiproliferative effects rely upon interleukin-1 alpha.

5287

PTEN Positively Regulates UVB-Induced DNA Damage Repair

Mei Ming, Li Feng, Christopher R. Shea, Keyoumars Soltani, Baozhong Zhao, Weinong Han, Robert C. Smart, Carol S. Trempus, and Yu-Ying He

Précis: Findings explain how failure to repair DNA damage caused by UVB sunlight radiation can cause skin carcinogenesis, due to inactivation of the tumor suppressor PTEN that destroys its key gatekeeper function in supporting DNA repair in the skin.

5296

IL-8 Signaling Plays a Critical Role in the Epithelial–Mesenchymal Transition of Human Carcinoma Cells

Romaine I. Fernando, Marianne D. Castillo, Mary Litzinger, Duane H. Hamilton, and Claudia Palena

Précis: Findings elucidate the role of epithelial-tomesenchymal transition in the modulation of the tumor microenvironment, suggesting that IL-8 signaling blockades might be very effective at targeting invasive tumor cells.

5307

ABCB5 Identifies a Therapy-Refractory Tumor Cell Population in Colorectal Cancer Patients

Brian J. Wilson, Tobias Schatton, Qian Zhan, Martin Gasser, Jie Ma, Karim R. Saab, Robin Schanche, Ana-Maria Waaga-Gasser, Jason S. Gold, Qin Huang, George F. Murphy, Markus H. Frank, and Natasha Y. Frank

Précis: Findings point to the need to eradicate a particular tumor cell population to improve outcomes in colorectal cancer therapy.

5317

Cancer Stem Cells in Squamous Cell Carcinoma Switch between Two Distinct Phenotypes That Are Preferentially Migratory or Proliferative

Adrian Biddle, Xiao Liang, Luke Gammon, Bilal Fazil, Lisa J. Harper, Helena Emich, Daniela Elena Costea, and Ian C. Mackenzie

Précis: Findings suggest that cancer stem cells can switch their phenotype between two states that can either drive tumor cell proliferation or metastatic dissemination, implying a need for therapeutic approaches that are able to eradicate cancer stem cells in both states.

5327

ADP-Ribosylarginine Hydrolase Regulates Cell Proliferation and Tumorigenesis

Jiro Kato, Jianfeng Zhu, Chengyu Liu, Mario Stylianou, Victoria Hoffmann, Martin J. Lizak, Connie G. Glasgow, and Joel Moss

Précis: Findings point to an important role for posttranslational protein modification by ADP-ribosylation in supporting cell proliferation and tumorigenesis.

5336

Sequential Activation of Snaill and N-Myc Modulates Sonic Hedgehog-Induced Transformation of Neural Cells

Leah E. Colvin Wanshura, Katherine E. Galvin, Hong Ye, Martin E. Fernandez-Zapico, and Cynthia Wetmore

Précis: N-Myc activation by a key target of the Sonic Hedgehog signaling pathway may be an essential step information of an aggressive class of pediatric brain tumors, with implications for therapeutic targeting strategies.

5346

Microvesicles Released from Human Renal Cancer Stem Cells Stimulate Angiogenesis and Formation of Lung Premetastatic Niche

Cristina Grange, Marta Tapparo, Federica Collino, Loriana Vitillo, Christian Damasco, Maria Chiara Deregibus, Ciro Tetta, Benedetta Bussolati, and Giovanni Camussi

Précis: Cancer stem cells may promote metastastic progression by secreting a class of microvesicles known as exosomes that can transfer proangiogenic RNAs to endothelial cells and directly stimulate angiogenesis.

LETTERS TO THE EDITOR

CORRECTIONS

5357	MicroRNA Expression and Outcome in Resected NSCLC—Letter Shun-ichiro Kageyama, Yusuke Takagi, Takeshi Sawada, Natsuko Kageyama-Yahara, and Masahiko Shibuya	5360	Correction: Effects of Carbon Ion Beam on Putative Colon Cancer Stem Cells and Its Comparison with X-rays
5358	MicroRNA Expression and Outcome in Resected NSCLC—Response Johannes Voortman, Aaron J. Schetter, Curtis C. Harris, and Giuseppe Giaccone	5361	Correction: A Requirement of STAT3 DNA Binding Precludes Th-1 Immunostimulatory Gene Expression by NF-κB in Tumors

ABOUT THE COVER

The search for biomarkers of cancer has focused on the tumor cells themselves. Pitteri and colleagues, using an unbiased and in depth proteomic analysis of plasma from a model of Her2/neu driven breast cancer, have identified the signaling between the tumor cells and microenvironment as a primary source of biomarkers. Shown are tumor cells embedded within extensive extracellular collagen matrix stained with trichrome blue. For details, see the article by Pitteri and colleagues on page 5090 of this issue.

