

Supplementary Table 3 - Mouse body weights for data in Figure 4A

Body Weights expressed as a percentage of the weight on day 0 for mice bearing HT29 xenografts and treated with gemcitabine (100mg/kg iv), CCT244747 (75mg/kg po) or the combination. Values are mean±SE, n= 3 to 6.

% day 0 body weight								
DAY	Solv Con	SEM	Gem	SEM	244747	SEM	Gem+ 747	SEM
0	100	0	100	0	100	0	100	0
3	88.5	7.2	102.2	1	102.9	1.6	101.5	1.2
6	100.8	5.52	107.4	0.9	106.6	2.9	104.3	1.7
8	99.6	2.9	106.4	1.4	106.2	3.5	103	1.9
10	98.1	3.2	106.2	1.7	104	3.7	103.3	1.9
13	102.2	1.1	109.5	1.6	106.1	3	105.9	2.2
15	106.7	1.6	110.6	2.3	107.8	3.1	106.7	2.6
17	105	1.7	109	2.4	104.2	3.8	103.1	2.6
20	107.8	1.8	110.6	2.7	108.2	3.6	106.5	2.2
22	109	1	111.8	2.4	107.1	3.8	108.4	2.1
24	108.3	2	110.6	3.1	107	4	108.2	2.3
27	107.5	2.9	114	2.8	104.2	4.5	108.2	2.3
29	109.5	2.1	113.9	3.3	105.6	4.4	110.8	2.7
31	111	3.5	118.2	3.5	107.4	6.7	113.4	2.5
34	107.9	3.7	123.6	3	120.8		107.6	4.7
36	112.6	1.1	121.3		118.6		113.7	3
38	111.7	0.5	123.3		124		115.7	3.6
41	111.7		122.3		122.2		118.4	3.9
43	118		124.8		120.8		113.5	5.5
45	119.4		123.3		119.5			
48	121.2		127.7		119.5			
51	123.4		124.3		124			
56	121.2		128.2		123.1			
59					130.8			
64					132.6			

Supplementary Table 4 – Mouse body weights for data in Figure 4C

Body Weights expressed as a percentage of the weight on day 0 for mice bearing HT29 xenografts and treated with irinotecan (25mg/kg ip), CCT244747 (150mg/kg po) or the combination. Values are mean±SE, n= 3 to 6.

% day 0 body weight								
DAY	Solv Con	SEM	Irin@ 25	SEM	747@ 150	SEM	Irin+747	SEM
0	100	0	100	0	100	0	100	0
3	103.6	1	101.1	1	99.8	1	100	0.9
6	105.1	1.1	100.1	1.3	102.8	1.1	100.9	1.3
8	103.9	1.2	99.2	1.6	102.7	1	99.1	1.4
10	105.1	1.9	100.7	1.2	104.5	1.1	98.7	1.5
14	107.9	2.5	107.1	1.5	109.8	1.4	105.3	1.5
17	110.9	1.7	109	0.9	109	2.1	107.8	1.5
20	110.8	1.9	110.1	1	109	3	109.5	1.7
22	114.1	1.3	110.6	1.2	109.3	3	111.5	1.3
24	111	2.9	107.2	2.7	110.4	2.9	110.9	1.2
27	116	1.1	111.7	1.6	111.6	2.5	111.3	1.8
29	111	4.5	109.6	2.1	104.9		110.8	1.7
31	115.4	2.7	109.7	2	102.2		110	1.5
34			111.5	2			112.7	2
36			110.3	2.2			111.1	0.7
38			111	2.3			109.2	1.5

Supplementary Table 5 – Mouse body weights for data in Figure 4D

Body Weights expressed as a percentage of the weight on day 0 for mice bearing Calu6 xenografts and treated with gemcitabine (100 mg/kg iv), CCT244747 (75mg/kg po) or the combination. Values are mean±SE, n= 3 to 6.

% day 0 body weight								
DAY	SOLV CON	SEM	Gem	SEM	747	SEM	Gem+747	SEM
0	100	0	100	0	100	0	100	0
4	102.9	1.1	101.2	0.6	102.4	1	99.4	0.6
6	102.8	1.6	98.9	1	104.2	1.4	97.1	1.6
8	103.8	1.5	99.2	1.3	102.8	1.4	94.6	3.7
11	106.8	1.5	101.1	1.2	106.2	1.4	96.7	2.8
13	104.2	2.3	100.9	1.3	107.8	1.5	98.8	3.1
15	107.3	1.5	101	1.3	106.4	1.2	100.6	2.6
18	108.7	1	104.7	1.9	106.9	1.4	102.9	1.7
20	109.7	1.6	106.6	1.7	110.1	1.2	106	1.7
22	109.3	1.8	106.7	1.8	108.7	1	106.2	1.4
25	111.6	2.4	109.5	1.7	113.9	1.7	109.6	1.3
27	113.3	2.1	109.7	1.5	114.6	0.9	108.3	1.7

Supplementary Table 6 – Mouse body weights for data in Supplementary Table 2

Body Weights expressed as a percentage of the weight on day 0 for mice bearing SW620 xenografts and treated with gemcitabine (100 mg/kg iv), CCT244747 (75mg/kg po) or the combination. Values are mean $\pm$ SE, n= 3 to 6.

% day 0 body weight								
DAY	Solv Con	SEM	Gem@ 100	SEM	747@ 75	SEM	Gem+747	SEM
0	100	0	100	0	100	0	100	0
2	101.1	0.4	99.5	0.7	98.1	0.6	99.1	0.6
4	99.8	0.7	99.7	1.1	97.5	2.2	99.9	0.8
7	101.5	1.5	98.9	2.2	97.6	1.7	100	1
9	99.5	1.4	95.7	2.6	97.3	1.6	98.7	0.8
11	101.7	2	100	6	97.3	1.7	99.4	0.7
15	104.9	2.5	104.2	4	101.6	2.6	104	1.5