

Supplementary Table 1.

| Time (min) | Liver ($\mu\text{g}\cdot\text{g}^{-1}$) | Plasma ($\mu\text{g}\cdot\text{g}^{-1}$) | Tumor ($\mu\text{g}\cdot\text{g}^{-1}$) |
|---|--|---|--|
| 0 | <0.1 | <0.1 | <0.1 |
| 5 | 50.2 | 0.045 | 0.12 |
| 30 | 172 | 0.286 | 1.21 |
| 60 | 149.8 | 0.503 | 2.06 |
| 240 | 324.1 | 1.78 | 7.69 |
| 1440 | 0.20 | <0.1 | 0.32 |
| AUC ($\mu\text{g}\cdot\text{h ml}^{-1}$) _{0-6h} | 839.7 | 3.69 | 15.7 |
| AUC ($\mu\text{g}\cdot\text{h ml}^{-1}$) _{0-24h} | 4083 | 22.8 | 96.9 |
| T _{max} (h) | 4 | 4 | 4 |
| C _{max} ($\mu\text{g}\cdot\text{ml}^{-1}$) | 324.1 | 1.78 | 7.69 |

Plasma concentrations and estimated pharmacokinetic parameters of ICT2706 in mice following i.p. administration. Note - values reported as $\mu\text{g}/\text{ml}$ (plasma) equate to $\mu\text{g}/\text{g}$ for tissue samples.