

Rank order of proteins significantly ($p < 0.001$) changing upon Bex+Carv in MCF10DCIS.com cells, determined by reverse-phase protein arrays (RPPA)

Protein name	Bex+Carv/Veh		Bex+Carv/Bex alone	
	Relative levels	<i>p-value</i>	Relative levels	<i>p-value</i>
ARID1A	42,68	0,00006	14,01	0,006
GSK-3 α -b	133,81	0,00008	9,50	0,168
Stat3	123,56	0,00035	8,10	0,028
YB1_pS102	80,54	0,00055	38,08	0,392
AMPK α _pT172	54,82	0,00056	103,10	0,154
PLK1	69,10	0,00080	22,92	0,042
Stathmin-1	70,38	0,00193	41,42	0,031
Chk1_pS296	109,08	0,00255	58,28	0,430
Pdcd4	84,45	0,00274	19,39	0,145
Caspase-9-cleaved	74,28	0,00310	1,27	0,117
Syk	125,78	0,00356	11,13	0,878
ACC1	157,59	0,00392	685,99	0,002
Cyclin-B1	62,33	0,00407	30,25	0,024
IGF1R- β	107,85	0,00435	19,36	0,102
SCD	142,47	0,00499	36,55	0,181
IGFBP2	80,28	0,00531	47,07	0,004
H2AX_pS139	135,86	0,00556	26,27	0,038
NF-kB-p65_pS536	83,87	0,00573	37,64	0,081
Notch1	73,11	0,00599	29,96	0,154
P-Cadherin	78,32	0,00667	86,67	0,587
Bak	84,66	0,00717	18,26	0,017
TFAM	181,44	0,00764	54,02	0,028
UGT1A	107,42	0,00780	11,23	0,240
SDHA	86,58	0,00935	25,95	0,043
Caveolin-1	162,01	0,00944	68,88	0,043
PCNA	77,93	0,00950	38,04	0,065
YB1	74,87	0,00961	38,14	0,367
DM-Histone-H3	159,78	0,00964	31,73	0,163